

EAST SEARCH

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| S1 | 9811 | standard\$ adj (connection interface) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/03/15 08:37 |
| S2 | 78 | standard\$ adj (connection interface) with socket | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/03/15 08:48 |
| S3 | 4591 | slot adj "1" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/03/15 08:37 |
| S4 | 504 | (slot adj "1") and intel | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/03/15 08:37 |
| S5 | 394 | (slot adj "1") and intel and network | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/03/15 08:38 |
| S6 | 49 | (slot adj "1") same network and intel | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/03/15 08:45 |
| S7 | 1524 | (socket adj "7") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/03/15 08:39 |
| S8 | 2 | (socket adj "7") same network and intel | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/03/15 08:39 |
| S9 | 12 | (slot adj "1") same network same standard and intel | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/03/15 08:46 |
| S10 | 80 | standard\$ adj (connection interface link) with socket | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/03/15 08:48 |
| S11 | 3 | standard\$ adj (connection interface link) with socket same board | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/03/15 08:49 |
| S12 | 8 | standard\$ adj (connection interface link) with socket same (board circuit) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/03/15 09:25 |

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| S13 | 43 | Virtual adj Socket adj Interface adj Alliance | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/03/15 08:51 |
| S14 | 56 | (Virtual adj Socket adj Interface adj Alliance) or vsia | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/03/15 08:52 |
| S15 | 17 | ((Virtual adj Socket adj Interface adj Alliance) or vsia) same standard | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/03/15 08:52 |
| S16 | 42 | ((Virtual adj Socket adj Interface adj Alliance) or vsia) same standard\$ | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/03/15 09:25 |
| S17 | 1613 | 709/220.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/04/12 08:35 |
| S18 | 843 | 709/221.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/03/15 09:21 |
| S19 | 1 | 709/221.ccls. and (standard\$ adj (connection interface link) with socket) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/03/15 09:22 |
| S20 | 0 | 709/220.ccls. and (standard\$ adj (connection interface link) with socket) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/03/15 09:21 |
| S21 | 4 | 709/221.ccls. and (standard\$ adj (connection interface link) and socket) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/03/15 09:24 |
| S22 | 10 | 709/221.ccls. and (standard\$ adj (connection interface link) and socket) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/15 09:24 |
| S23 | 42 | ((Virtual adj Socket adj Interface adj Alliance) or vsia) same standard\$ | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/15 09:25 |
| S24 | 23 | standard\$ adj (connection interface link) with socket same (board circuit) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/15 09:53 |

| | | | | | | |
|-----|--------|--|---|----|-----|------------------|
| S25 | 461 | program\$ adj logic\$ adj unit | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/15 09:54 |
| S26 | 36 | (program\$ adj logic\$ adj unit) with (configur\$) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/15 09:56 |
| S27 | 0 | (program\$ adj logic\$ adj unit) with (configur\$) same socket | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/15 09:54 |
| S28 | 2 | (program\$ adj logic\$ adj unit) with (configur\$) and socket | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/15 09:54 |
| S29 | 213916 | socket | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/15 10:01 |
| S30 | 8241 | socket same network | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/15 10:01 |
| S31 | 420 | (configur\$ with socket) same network | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/15 10:01 |
| S32 | 6 | (configur\$ with socket) same network same CPU same memory | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/15 10:30 |
| S33 | 1 | "4268908".PN. | USPAT; USOCR | OR | OFF | 2005/03/15 10:16 |
| S34 | 1 | "5550782".PN. | USPAT; USOCR | OR | OFF | 2005/03/15 10:16 |
| S35 | 1 | "5379382".PN. | USPAT; USOCR | OR | OFF | 2005/03/15 10:16 |
| S36 | 163 | ((reconfigur\$ re-configur\$) with socket) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/15 10:30 |
| S37 | 24 | ((reconfigur\$ re-configur\$) with socket) same interfac\$ | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/15 13:29 |
| S38 | 17 | ((reconfigur\$ re-configur\$) with socket) same interfac\$ and ((plurality multiple several) with interfac\$) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/15 13:31 |

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| S39 | 0 | ((reconfigur\$ re-configur\$) with socket) same interfac\$ and ((plurality multiple several) adj interfac\$) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/15 13:31 |
| S40 | 0 | ((reconfigur\$ re-configur\$) with socket) same interfac\$ and ((plurality multiple several) with interfaces!) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/15 13:32 |
| S41 | 18 | ((reconfigur\$ re-configur\$) with socket) same interfac\$ and (interfaces!) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/15 13:32 |
| S42 | 1613 | 709/220.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/03/16 09:11 |
| S43 | 843 | 709/221.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/04/14 08:14 |
| S44 | 191 | S42 and S43 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/03/16 09:11 |
| S45 | 27 | S44 and socket | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/03/16 09:12 |
| S46 | 27 | S43 and (programmable adj logic) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/03/16 09:12 |
| S49 | 30 | S44 and socket | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/16 09:12 |
| S50 | 27 | S43 and (programmable adj logic) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/16 09:12 |
| S51 | 0 | S49 and S50 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/16 09:12 |
| S52 | 10 | S49 and logic | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/16 09:12 |

| | | | | | | |
|-----|-------|---|---|----|----|------------------|
| S53 | 5 | S49 and logic and buffer | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/16 09:12 |
| S54 | 31024 | (programmable adj logic) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/16 09:13 |
| S55 | 6009 | (programmable adj logic) with (buffer memory) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/16 09:13 |
| S58 | 12 | (programmable adj logic) with (buffer memory) with socket | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/16 09:14 |
| S59 | 1 | "5918194".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/16 09:32 |
| S60 | 28 | (US-20020016706-\$ or US-20020129181-\$ or US-20020144045-\$ or US-20030028408-\$).did. or (US-4268908-\$ or US-4450557-\$ or US-4552426-\$ or US-5379382-\$ or US-5509123-\$ or US-5537295-\$ or US-5633934-\$ or US-5649224-\$ or US-5671355-\$ or US-5819042-\$ or US-5838907-\$ or US-6009274-\$ or US-6085317-\$ or US-6138183-\$ or US-6219785-\$ or US-6269467-\$ or US-6505338-\$ or US-6539510-\$ or US-6687710-\$ or US-6747689-\$ or US-6816938-\$ or US-5521833-\$ or US-5535368-\$ or US-5918194-\$). did. | US-PGPUB; USPAT | OR | ON | 2005/03/16 13:42 |
| S61 | 7 | S60 and (hardware with config\$) | US-PGPUB; USPAT | OR | ON | 2005/03/16 12:38 |

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S62 | 48 | ("5970052" "5353243" "5625580" "6085317" "6219785" "6219785" "5848264" "6058263" "4308615" "5349686" "5596569" "6088740" "6138177" "6321320" "4349870" "5867676" "5471587" "6006303" "6105075" "5394526" "5371866" RE36229 "5483649" "6175490" "6212587" "6212587" "6343086" "5596715" "5887165" "5504905" "5862354" "4996598" "5959365" "5914953" "6141744" "4310879" "4443846" "4530047" "4625307" "4771286" "5214776" "5339408" "5465360" "5487154" "5513374" "5535417" "5555433" "5564027" "5574849" "5592685").pn. | US-PGPUB; USPAT | OR | ON | 2005/03/16 12:59 |
| S63 | 2880 | processor same PLD | US-PGPUB; USPAT | OR | ON | 2005/03/16 13:44 |
| S64 | 0 | S62 and S63 | US-PGPUB; USPAT | OR | ON | 2005/03/16 12:59 |
| S65 | 2762 | S63 and logic | US-PGPUB; USPAT | OR | ON | 2005/03/16 12:59 |
| S66 | 8449 | (programmable adj logic) same processor | US-PGPUB; USPAT | OR | ON | 2005/03/16 13:00 |
| S67 | 3 | (programmable adj logic) same ((additional another extra) adj processor) | US-PGPUB; USPAT | OR | ON | 2005/03/16 13:01 |
| S68 | 3 | processor same ((additional another extra) adj (programmable adj logic)) | US-PGPUB; USPAT | OR | ON | 2005/04/12 08:09 |
| S69 | 36 | processor same ((additional another extra) with (programmable adj logic)) | US-PGPUB; USPAT | OR | ON | 2005/03/16 13:02 |
| S70 | 1 | "5535368".pn. and logic | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/16 13:07 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S71 | 28 | (US-20020016706-\$ or US-20020129181-\$ or US-20020144045-\$ or US-20030028408-\$).did. or (US-4268908-\$ or US-4450557-\$ or US-4552426-\$ or US-5379382-\$ or US-5509123-\$ or US-5537295-\$ or US-5633934-\$ or US-5649224-\$ or US-5671355-\$ or US-5819042-\$ or US-5838907-\$ or US-6009274-\$ or US-6085317-\$ or US-6138183-\$ or US-6219785-\$ or US-6269467-\$ or US-6505338-\$ or US-6539510-\$ or US-6687710-\$ or US-6747689-\$ or US-6816938-\$ or US-5521833-\$ or US-5535368-\$ or US-5918194-\$). did. | US-PGPUB; USPAT | OR | ON | 2005/03/16 13:42 |
| S72 | 3 | S71 and encrypt\$ | US-PGPUB; USPAT | OR | ON | 2005/03/16 13:42 |
| S73 | 3638 | (programmable adj logic) same module | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/16 13:44 |
| S74 | 17 | (programmable adj logic) same module with encrypt\$ | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/16 13:45 |
| S75 | 14 | (programmable adj logic) same module with encrypt\$ and (hardware with (config\$ reconfig\$)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/03/16 13:45 |
| S76 | 31 | (US-20020016706-\$ or US-20020129181-\$ or US-20020144045-\$ or US-20030028408-\$ or US-20020056143-\$).did. or (US-4268908-\$ or US-4450557-\$ or US-4552426-\$ or US-5379382-\$ or US-5509123-\$ or US-5537295-\$ or US-5633934-\$ or US-5649224-\$ or US-5671355-\$ or US-5819042-\$ or US-5838907-\$ or US-6009274-\$ or US-6085317-\$ or US-6138183-\$ or US-6219785-\$ or US-6269467-\$ or US-6505338-\$ or US-6539510-\$ or US-6687710-\$ or US-6747689-\$ or US-6816938-\$ or US-5521833-\$ or US-5535368-\$ or US-5918194-\$ or US-6151679-\$ or US-6457125-\$). did. | US-PGPUB; USPAT | OR | ON | 2005/03/16 14:22 |
| S77 | 7 | S76 and PLD | US-PGPUB; USPAT | OR | ON | 2005/03/16 14:18 |

| | | | | | | |
|-----|----|--|--------------------|----|----|------------------|
| S78 | 10 | S76 and "printed circuit" | US-PGPUB; USPAT | OR | ON | 2005/03/16 14:22 |
| S79 | 31 | (US-20020016706-\$ or US-20020129181-\$ or US-20020144045-\$ or US-20030028408-\$ or US-20020056143-\$).did. or (US-4268908-\$ or US-4450557-\$ or US-4552426-\$ or US-5379382-\$ or US-5509123-\$ or US-5537295-\$ or US-5633934-\$ or US-5649224-\$ or US-5671355-\$ or US-5819042-\$ or US-5838907-\$ or US-6009274-\$ or US-6085317-\$ or US-6138183-\$ or US-6219785-\$ or US-6269467-\$ or US-6505338-\$ or US-6539510-\$ or US-6687710-\$ or US-6747689-\$ or US-6816938-\$ or US-5521833-\$ or US-5535368-\$ or US-5918194-\$ or US-6151679-\$ or US-6457125-\$). did. | US-PGPUB; USPAT | OR | ON | 2005/03/17 07:18 |
| S80 | 31 | (US-20020016706-\$ or US-20020056143-\$ or US-20020129181-\$ or US-20020144045-\$ or US-20030028408-\$).did. or (US-4268908-\$ or US-4450557-\$ or US-4552426-\$ or US-5379382-\$ or US-5509123-\$ or US-5521833-\$ or US-5535368-\$ or US-5537295-\$ or US-5633934-\$ or US-5649224-\$ or US-5671355-\$ or US-5819042-\$ or US-5838907-\$ or US-5918194-\$ or US-6009274-\$ or US-6085317-\$ or US-6138183-\$ or US-6151679-\$ or US-6219785-\$ or US-6269467-\$ or US-6457125-\$ or US-6505338-\$ or US-6539510-\$ or US-6687710-\$ or US-6747689-\$ or US-6816938-\$). did. | US-PGPUB; USPAT | OR | ON | 2005/04/11 19:01 |
| S81 | 7 | S80 and PLD | US-PGPUB; USPAT | OR | ON | 2005/04/11 19:01 |
| S82 | 12 | S80 and (programmable near3 logic) | US-PGPUB; USPAT | OR | ON | 2005/04/11 19:02 |
| S83 | 3 | S80 and reprogram | US-PGPUB; USPAT | OR | ON | 2005/04/11 19:02 |
| S84 | 6 | S80 and reprogram\$ | US-PGPUB; USPAT | OR | ON | 2005/04/12 08:07 |
| S85 | 2 | ("5675645" "5784463").pn. | US-PGPUB; USPAT | OR | ON | 2005/04/12 08:08 |

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| S86 | 6564 | (first adj configuration) same (second adj configuration) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/12 08:10 |
| S87 | 263 | (first adj configuration) same (second adj configuration) same network | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/12 08:10 |
| S88 | 33 | (first adj configuration) same (second adj configuration) same network same hardware | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/12 08:12 |
| S89 | 314 | reconfigur\$ with network with hardware | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/12 08:12 |
| S90 | 82 | reconfigur\$ with network with hardware same (programmable logic) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/12 08:13 |
| S91 | 12 | reconfigur\$ with network with hardware same (programmable with logic) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/12 08:13 |
| S92 | 1642 | 709/220.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/04/12 08:35 |
| S93 | 242 | S92 and (reconfigur\$ same network) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/04/12 08:36 |
| S94 | 37 | S92 and (reconfigur\$ same network same hardware) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/04/12 08:36 |
| S95 | 19 | S92 and (reconfigur\$ same network with hardware) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/04/12 08:36 |
| S97 | 5 | S92 and (reconfigur\$ same network same hardware same download\$) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/04/12 08:37 |
| S98 | 23 | S92 and (configur\$ same network same hardware same download\$) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/04/12 08:37 |

| | | | | | | |
|----------|----|---|---|----|-----|------------------|
| S99 | 21 | S98 not S97 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/04/12 08:37 |
| S10 0 | 36 | (US-20020013833-\$ or US-20020016706-\$ or US-20020056143-\$ or US-20020129181-\$ or US-20020144045-\$ or US-20030028408-\$).did. or (US-4268908-\$ or US-4450557-\$ or US-4552426-\$ or US-5379382-\$ or US-5509123-\$ or US-5521833-\$ or US-5535368-\$ or US-5537295-\$ or US-5633934-\$ or US-5649224-\$ or US-5655148-\$ or US-5671355-\$ or US-5819042-\$ or US-5838907-\$ or US-5918194-\$ or US-6009274-\$ or US-6085317-\$ or US-6094679-\$ or US-6096091-\$ or US-6138183-\$ or US-6151679-\$ or US-6219785-\$ or US-6269467-\$ or US-6457125-\$ or US-6505338-\$ or US-6539510-\$). did. or (US-6687710-\$ or US-6747689-\$ or US-6816938-\$ or US-6854009-\$).did. | US-PGPUB; USPAT | OR | ON | 2005/04/13 10:58 |
| S10 1 | 4 | S100 and (provid\$ with configuration with information) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/12 14:19 |
| S10 2 | 5 | S100 and (provid\$ same configuration with information) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/04/12 14:19 |

| | | | | | | |
|----------|-------|---|---|----|-----|------------------|
| S10 3 | 36 | (US-20020013833-\$ or US-20020016706-\$ or US-20020056143-\$ or US-20020129181-\$ or US-20020144045-\$ or US-20030028408-\$).did. or (US-4268908-\$ or US-4450557-\$ or US-4552426-\$ or US-5379382-\$ or US-5509123-\$ or US-5521833-\$ or US-5535368-\$ or US-5537295-\$ or US-5633934-\$ or US-5649224-\$ or US-5655148-\$ or US-5671355-\$ or US-5819042-\$ or US-5838907-\$ or US-5918194-\$ or US-6009274-\$ or US-6085317-\$ or US-6094679-\$ or US-6096091-\$ or US-6138183-\$ or US-6151679-\$ or US-6219785-\$ or US-6269467-\$ or US-6457125-\$ or US-6505338-\$ or US-6539510-\$). did. or (US-6687710-\$ or US-6747689-\$ or US-6816938-\$ or US-6854009-\$).did. | US-PGPUB; USPAT | OR | ON | 2005/04/13 10:58 |
| S10 4 | 9 | S103 and schedul\$ | US-PGPUB; USPAT | OR | ON | 2005/04/13 12:33 |
| S10 5 | 12605 | "3" and (schedul\$ same updat\$) | US-PGPUB; USPAT | OR | ON | 2005/04/13 12:33 |
| S10 6 | 36 | (US-20020013833-\$ or US-20020016706-\$ or US-20020056143-\$ or US-20020129181-\$ or US-20020144045-\$ or US-20030028408-\$).did. or (US-4268908-\$ or US-4450557-\$ or US-4552426-\$ or US-5379382-\$ or US-5509123-\$ or US-5521833-\$ or US-5535368-\$ or US-5537295-\$ or US-5633934-\$ or US-5649224-\$ or US-5655148-\$ or US-5671355-\$ or US-5819042-\$ or US-5838907-\$ or US-5918194-\$ or US-6009274-\$ or US-6085317-\$ or US-6094679-\$ or US-6096091-\$ or US-6138183-\$ or US-6151679-\$ or US-6219785-\$ or US-6269467-\$ or US-6457125-\$ or US-6505338-\$ or US-6539510-\$). did. or (US-6687710-\$ or US-6747689-\$ or US-6816938-\$ or US-6854009-\$).did. | US-PGPUB; USPAT | OR | ON | 2005/04/13 12:34 |
| S10 7 | 1 | S106 and (schedul\$ same updat\$) | US-PGPUB; USPAT | OR | ON | 2005/04/13 12:34 |
| S10 8 | 852 | 709/221.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/04/14 08:14 |

| | | | | | | |
|----------|-----|--|---|----|-----|------------------|
| S10 9 | 253 | 709/221.ccls. and reconfig\$ | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/04/14 08:14 |
| S11 0 | 160 | 709/221.ccls. and reconfig\$ same network | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/04/14 08:14 |